



BMW G310 GS Pannier Rack

Installation Guide

A qualified, experienced motorcycle technician should install Rockfox products. If you are unsure of your ability to properly install a product, please have the product installed by your local motorcycle dealer. Rockfox takes no responsibility for damages caused by improper installation. All screws, bolts and nuts, including all replacement hardware provided by Rockfox, should be tightened to the torque specified in the OEM maintenance manual for your motorcycle. If no torque specifications are provided in the OEM maintenance manual, the following torques may be used: M6 – 9,6Nm; M8 – 23Nm; M10 – 46Nm. All screws, bolts and nuts should be checked after driving the first 50 km to ensure that all are tightened to the proper torque. Medium strength liquid thread-locker (i.e., "Loctite") should be used to secure all screws bolts and nuts.

Tools required: Nr 6 Allen key
13mm Spanner
Sharp nose Pliers

Contents:

- 1 x Left Side Rack
- 1 x Right Side Rack
- 1 x Rear Brace
- 4 x M8x60 Allen caps
- 2 x M8x20 Allencaps
- 2 x 16x28x10 Alu Spacer
- 2 x 16x22x10 Alu Spacer
- 2 x M8x50 Allencaps
- 12 x M8 Washers
- 4 x M8 Nylock Nuts

Right Side Step 1



Using the sharp nose pliers remove the c-clip from the pillion footpeg and replace it with the M8x50 bolt supplied. Take care not to take the pillion peg out to retain the spring and ball bearing inside.

Step 2



Remove the two bolts holding the grab handles in place.

Step 3



Fit the crashbar to the bike using the m8x60 bolts as supplied. Use the long spacer on the front bolt (Closest to the front of the bike) and the shorter spacer on the rear bolt. Also slip the front brace over the bolt on the rear footpeg such as in picture 2.

Do not tighten Fully

Repeat steps 1, 2 and 3 for the left hand side.

Step 4



Fit the rear brace between the two halves of the pannier racks and fix them to the racks with the supplied M8x20 bolts and nuts.

Tighten all bolts.

Final product



Please contact us if you encounter any problems

Regards
The Rockfox Team